



Virginia On-Farm Corn Test Plots 2020

Conducted and Summarized by Trent Jones, Extension Agent, Northumberland and Lancaster County; Robbie Longest, Associate Extension Agent, Essex County; Mike Broaddus, Extension Agent, Caroline and King George Counties; Stephanie Romelczyk, Extension Agent, Westmoreland County; Scott Reiter, Senior Extension Agent, Prince George County; Watson Lawrence, Senior Extension Agent, City of Chesapeake; Roy Flanagan, Extension Agent, City of Virginia Beach; Carl Stafford, Senior Extension Agent, Culpeper County; Frank Long, Associate Extension Agent, Middlesex County; Lindy Fimon, Extension Agent, Lunenburg County; Taylor Clarke, Extension Agent, Mecklenburg County; Josh Holland, Associate Extension Agent, Southampton County; Bruce Jones, Extension Agent, Appomattox County; Mike Parrish, Senior Extension Agent, Dinwiddie County; Glenn Chappell, Associate Professor of Plant and Soil Science, Virginia State University; Keith Balderson, Agronomist, NRCS; Ruddy Grammar, Virginia State University; Mack West, Virginia State University; Skylar Swann, VCE Intern; Danny Withers, District Technical Manager, Three Rivers Soil and Water Conservation District



A summary of replicated research and demonstration plots conducted by Virginia Cooperative Extension in cooperation with local producers and agribusinesses

The research and demonstration plots discussed in this publication are a cooperative effort by Virginia Cooperative Extension employees, Three Rivers Soil and Water Conservation Districts, the Natural Resources Conservation Service, numerous producers, and many members of the Virginia agribusiness community. The fieldwork and printing of this publication are mainly supported by the Virginia Corn Check-Off Fund through the Virginia Corn Board. This is the twenty-ninth year of this multi-county cooperative project. Further work is planned for 2021. Anyone who would like a copy of this publication should contact their local extension office, who can request a copy from the VCE Northumberland County Extension Office.



Producers interested in becoming involved with on-farm plot work, and those with research topic ideas that they would like to have investigated in future on-farm publications should contact their local extension office for further information.

The authors wish to thank the many producers and agribusinesses that participated in these research and demonstration plots. This publication is made possible by their continued support and cooperation.

Disclaimer: Commercial products are named in this publication for informational purposes only. Virginia Cooperative Extension does not endorse these products and does not intend discrimination against other products, which also may be suitable.

Table of Contents

I.	General Summary	1
II.	Hybrid Comparisons	2
	Early Relative Maturity Hybrids	2
	Early Maturity Hybrid Entries	2
	Summary of Early Maturity Hybrid Comparisons	3
	Virginia Ag Expo	4
	Virginia State University	5
	Caroline County	6
	Cities of Chesapeake / Virginia Beach	7
	Lancaster County	8
	Mid Relative Maturity Hybrids	10
	Mid Maturity Hybrid Entries	10
	Summary of Mid Maturity Hybrid Comparisons	11
	Virginia Ag Expo	12
	Virginia State University	13
	Middlesex County	14
	Westmoreland County	16
	Brunswick County	18
	Southampton County	19
	Cities of Chesapeake / Virginia Beach	20
	Full Relative Maturity Hybrids	22
	Full Maturity Hybrid Entries	22
	Summary of Full Maturity Hybrid Comparisons	23
	Virginia Ag Expo	24
	Virginia State University	25
	Culpeper County	26
	Southampton County	27
	Essex County	28
	Brunswick County	31
	Lunenburg / Mecklenburg County	32
	Prince George County	33
	Dinwiddie County	34
III.	Cover Crop Evaluations	36
	Westmoreland County Evaluation of Corn Following Legume Cover Crops	36

General Summary

These demonstrations and replicated studies provide information that can be used by Virginia corn growers to make better management decisions on their farm. These results should be used along with data from other replicated studies when making decisions. Refer to individual location results for additional detail.

Hybrid Comparisons

Corn hybrid selection remains a challenge for Virginia producers. With more seed companies, and more GMO options and seed treatment packages than ever before, hybrid selection can be a difficult decision. We evaluated early maturity hybrids (107 day RM or less) at five locations, mid maturity hybrids (108-112 day RM) at seven locations, and full season hybrids (113 day RM or more) at nine locations. Hybrids from all three maturity groups were planted at both the 2020 Virginia Ag Expo site located in Northumberland County and Virginia State University. Farmers should use the results compiled from these studies to assist with future hybrid selection; however, they should continue to plant hybrids of multiple maturities to help spread production risk.

Cover Crop Evaluation

We continue to evaluate legume and cover crop options in corn production. Our work continues to demonstrate that legume cover crop options can provide significant nitrogen to the subsequent corn crop. Hairy vetch and Austrian winter pea, in particular, show great promise in increasing Virginia corn yields.

Early Maturity Hybrid Entries

107 Day RM or Less

Brand	Hybrid Entry	Relative Maturity	Seed Treatment	Genetic Traits
Hubner Seed	H05G716	105	Poncho 500	DroughtGard YGCB
Pioneer Brand DBA - CORTEVA Agriscience	P0339AM	103	Poncho 1250 + Votivo	AM
Dekalb	DKC55-85RIB	105	Acceleron 500	GENVT2PRIB
Channel	205-63 VT2PRIB	105	P250	VT2P
LG Seeds	LG 57C33	107	500	VT2RIB
DynaGro Seed	DG44vc36	104	Poncho + Votivo 500	Double Pro
Augusta Seed	1257	107	A500	3330GTEZ

Summary of Early Maturity Hybrid Comparisons

107 Day RM or Less

Company	Hybrid	Maturity	Virginia Ag Expo	Caroline	Lancaster	Virginia State University	Chesapeake / Virginia Beach	Average
Hubner Seed	H05G716	105	162.9	127.1	164.2	114.4	88.0	131.3
Pioneer Brand DBA – CORTEVA Agriscience	P0339AM	103	182.8	129.0	166.6	110.9	57.1	129.3
Dekalb	DKC55-85RIB	105	188.4	116.0	172.9	91.7	110.1	135.8
DynaGro	DG44vc36	104	148.0	67.5	166.9	108.4	83.8	114.9
Augusta	1257	107	177.9	88.6	167.8	117.0	51.8	120.6
LG Seeds	LG 57C33	107	198.8	109.2	168.8	132.8	78.4	137.6
Channel	205-63 VT2PRIB	105	170.4					
	Average		175.6	106.2	167.9	112.5	78.2	

*Overall yield averages were reported for hybrids entered at all locations.

Virginia Ag Expo Early Maturity Corn Hybrid Comparison

Cooperators:	Producer: Bleak House Farm
	Extension: Trent Jones, Northumberland & Lancaster
	Industry: Ian Walker - Pioneer Seed, Ginny Barnes - Coastal AgroBusiness
Previous Crop:	Double Crop Soybeans
Soil Type:	Woodstown Fine Sandy Loam
Tillage:	No-Till
Planting Date:	April 9, 2020
Planting Equipment:	Kinze 3660
Seeding Rate:	32,500 Seeds / Acre
Row Spacing:	30”
Fertilizer	Planting: In Furrow – 2 gal. 15-15-0, 10 oz. Advance LCO, 1 qt. Black Label 2x2 – 18 gal. 15-15-0- + S, Zn, & B
	Sidedress: May 1 – 150 lb. 24-0-0-3S + B & Zn, 2 qt. Black Label
Crop Protection:	Burndown: April - .5 pt. Dicamba, 1.25 qt. Acuron, 1 pt. Atrazine, 60 oz. Roundup, 2 oz. Tombstone
	Post May 4 – 3.6 pt. Halex
	Emergence: July 3 – 13.7 oz. Trivapro, 4 oz. Sniper
Harvest Date:	September 24, 2020
Harvest Equipment:	Case 8250

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
DynaGro Seed	DG44VC36	104	15.1	147.99
(Check)			15.1	199.65
Augusta Seed	1257	107	17.1	177.85
Pioneer Brand DBA / CORTEVA Agriscience	P0339AM	103	14.4	182.76
LG Seed	LG 57C33	107	14.7	198.83
(Check)			14.8	171.52
Hubner Seed	H05G716	105	16.1	162.87
Dekalb	DKC55-85RIB	105	13.9	188.36
Channel	205-63 VT2PRIB	105	14.9	170.44
(Check)			15.1	169.17

Virginia State University Early Maturity Corn Hybrid Comparison

Cooperators:	Extension:	Ruddy Grammar & Mack West, VSU-Randolph Farm; Glenn F. Chappell, II, Virginia State University
Previous Crop:	Full Season Soybeans	
Soil Type:	Tetotum	
Tillage:	Rip – Strip Tillage	
Planting Date:	April 28, 2020	
Seeding Rate:	24,625 Seeds / Acre	
Row Spacing:	30”	
Fertilizer:	Preplant:	April 22 – 25-50-150 Granular (500 lb. 5-10-30)
	Sidedress:	June 10 - 175-0-0 30% UAN
Crop Protection:	Burndown:	April 17 - 1 qt. Graxomone SL April 29 - 2 qt. Bicept II Mag., 1 qt. Princep 4L
Harvest Date:	October 7, 2020	
Harvest Equipment:	John Deere 9560 STS	

Brand	Hybrid	Maturity (Days)	Moisture %	Yield (bu./A @15.5%)	% of Check
Dekalb - check	67-44RIB	117	20.3	137.5	-----
Hubner Seed	H05G716	105	15.8	114.4	83.4
Pioneer Brand DBA / CORTEVA Agriscience	P0339AM	103	15.6	110.9	80.9
Dekalb	DKC55-85RIB	105	16.3	91.7	66.8
LG Seeds	LG 57C33	107	15.3	132.8	96.8
DynaGro Seed	DG44vc36	104	15.4	108.4	79.1
Augusta Seed	1257	107	17.4	117.0	85.3
Dekalb - check	67-44RIB	117	18.2	136.8	-----

Discussion: No irrigation was applied. Site specific rainfall data was not available for the Virginia State University location but information available via Weather Underground.com from the Richmond Airport showed the following rainfall totals by month: May – 3.6”, June – 4.99”, July 2.44”, and August – 15.90”. A majority of the July rainfall (1.28”) was in one event over July 1 and 2 with the rest of the month mostly hot and dry. The “% of Check” is calculated by dividing an individual hybrid's yield by the average of the two closest check hybrids and multiplying by 100.

Caroline County Early Maturity Corn Hybrid Comparison

Cooperators: **Producer:** M.S. Terrell and Sons
Extension: M. Broaddus, King George & Caroline

Previous Crop: Double Crop Soybean
Soil Type: 24B Suffolk fine sandy loam
Tillage: No-till
Planting Date: May 12, 2020
Planting Equipment: Kinzie 3600
Seeding Rate: 31,034 Seed / Acre
Row Spacing: 30"
Fertilizer: **Preplant:** 20 gal. 24-0-0-3
Planting: 40 lb. N, 1 qt. Boron, 1 qt. Zinc
Sidedress: 35 gal. 28-0-0-5, 2 qt. Boron, 2 qt. Black label Zn

Crop Protection: **Burndown:** 1.5 qt. Vizor ATZ, 1.5 qt. Devour, 8 oz. Salvo, 2 oz. Tombstone
Planting: 1 qt. Glyphosate w/ surfactant, 1 qt. Harness Extra, 1 pt. Atrazine
Post 40 oz. Makize, 3 oz. Status (dry), 3.25 oz. Zidua,
Emergence: 1 qt. Atra v4l

Harvest Date: October 1, 2020
Harvest Equipment: John Deere S780, w/ 12 row corn head

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
(Check) Dekalb	DKC62-53RIB	112	20.7	103.3
Pioneer Brand DBA – CORTEVA Agriscience	P0339AM	103	19.7	129.0
Hubner Seed	H05G716	105	19.5	127.1
Dekalb	DKC55-85RIB	105	19.3	116.0
DynaGro	D44VC36RIB	104	20.7	67.5
Augusta	1257-3330GTEZ	107	13.9	88.6
LG Seed	LG57C33STXRIB	107	14.4	109.2

Discussion: This particular plot yielded well considering the record heat and very spotty and small rainstorms that mid-Virginia experienced in July and August of 2020.

Chesapeake / Virginia Beach Early Maturity Corn Hybrid Comparison

Cooperators: **Producer:** Frank Brickhouse
Extension: Watson Lawrence, City of Chesapeake & Roy Flanagan, City of Virginia Beach
Previous Crop: Soybeans
Soil Type: Acredale Silt Loam
Tillage: Ridge Type Conventional Tillage
Planting Date: May 15, 2020
Planting Equipment: 7300 JD Maxi Merge Vacuum Planter
Seeding Rate: 32,000 Seed / Acre
Row Spacing: 30"
Fertilizer: **Preplant:** 600 lbs. 15-8-15, 13.5 lbs. S
Side-dress: 30 Gal. 32% (110 lbs. N), 4.8 oz. Excelis Max
Crop Protection: **Burndown:** 1 qt. Roundup, ½ qt. 2,4-D, +1 pt./100 gal. Kingpin Surfactant
Post 16 oz. Roundup, 1 qt. Atrazine, 3 oz. Laudis,
Emergence: 1 pt./100 gal. Kingpin Surfactant.
Harvest Date: October 23, 2020
Harvest Equipment: John Deere 9860

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Dekalb	DKC 55-85 RIB	105	16.6	110.1
Check	DKC 65-20	115	17.8	70.5
LG Seeds	LG 57C33STX RIB	107	17.2	78.4
DynaGro	D44VC36 RIB	104	17.2	83.8
Check	DKC 65-20	115	17.3	66.6
Augusta	1257-3330 GTEZ	107	16.7	51.8
Pioneer Brand DBA - CORTEVA Agriscience	P0339AM	103	16.7	57.1
Check	DKC 65-20	115	17.4	64.4
Hubner Seed	H05G716	105	16.2	88.0

Discussion: This conventional tilled plot experienced a dry spell in early June that caused very spotty performance among varieties. Varieties reacted very differently under these adverse weather conditions.

Lancaster County Early Maturity Corn Hybrid Comparison

Cooperators: **Producer:** Jock Chilton, Jonathan Chilton, Cason Chilton, Mitchell Simpson
Extension: Trent Jones, Northumberland & Lancaster

Previous Crop: Soybeans
Soil Type: 22% Kempsville Fine Sandy Loam, 78% Suffolk fine Sandy Loam
Tillage: No-Till
Planting Date: April 7, 2020
Planting Equipment: Kinze 3200 12 Row Planter
Seeding Rate: 29,000 Seed / Acre
Row Spacing: 30”
Fertilizer: **Preplant:** 100 lb. Potash, 40 lb. N
 Planting: 15-15-0 + Micro (40 lb. N, 40 lb. P)
 Sidedress: 100 lb. N

Crop Protection: **Burndown:** 2.5 oz. Zidua SC, 1 qt. Atrazine
 Post Emergence: 1 pt. Armezon Pro, 1 pt. Atrazine, 1 pt. Megafol, 1 qt. / 100 gal. Induce

Harvest Date: September 5, 2020
Harvest Equipment: John Deere S660

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
(Check)	Hubner 04G287	104	14.9	144.9
Pioneer Brand DBA – CORTEVA Agriscience	P0339AM	103	16.0	166.6
LG Seeds	LG 57C33	107	17.5	168.8
Augusta Seed	1257-3330 GTEZ	107	18.7	167.8
Hubner Seed – Bayer	H05G716	105	16.0	164.2
Dekalb	DKC55-85RIB	105	15.5	172.9
DynaGro Seed	DG44VC36	104	15.7	166.9
(Check)	Hubner 04G287	104	14.6	172.8

Mid Maturity Hybrid Entries

108-112 Day RM

Brand	Hybrid Entry	Relative Maturity	Seed Treatment	Genetic Traits
Hubner Seed	H09G056	109	Poncho 500	DroughtGard YGCB
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM	110	Poncho 1250 + Votivo	AM
SeedKoz - MorCorn	MC4255	112	Poncho 500	VT2P
Dekalb	DKC62-53RIB	112	Acceleron 500	GENVT2PRIB
Progeny Ag Products	2008	108	1250	VT2P
Channel	210-79 VT2PRIB	110	P250	DG, VT2P
LG Seeds	LG 5590	110	500	VT2RIB
Syngenta NK Seed	1082-5222A	110	Avicta Complete 500 + Vibrance	RR, CB, RW
DynaGro Seed	DG52vc63	112	Poncho + Votivo 500	Double Pro
Augusta Seed	7162	112	C1250	VT2ProRIB
Local Seed Company	LC1289 VT2P	112	Radius 500	VT2P

Summary of Mid Maturity Hybrid Comparisons

108-112 Day RM

Company	Hybrid	Maturity	Virginia Ag Expo	Westmoreland	Chesapeake/ Virginia Beach	Virginia State University	Southampton	Mecklenburg	Middlesex	Average
Hubner Seed	H09G056	109	186.9	141	89.7	133.7	154.4	95.3	152.0	136.1
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM	110	193.3	157	48.3	93.2	162.7	67.4	164.8	126.7
SeedKoz - MorCorn	MC4255	112	221.9	157	130.3	144.5	140.8	92.2	168.6	150.8
Dekalb	DKC62-53RIB	112	196.6	100	92.7	144.8	152.5	74.1	161.9	131.8
Progeny Ag Products	2008	108	170.8	156	81.8	115.8	179.9	65.0	156.5	132.3
LG Seeds	LG 5590	110	187.2	154	78.4	120.4	162.0	57.5	190.1	135.7
Syngenta NK Seed	1082-5222A	110	189.1	133	71.4	130.4	126.6	45.1	174.1	124.2
DynaGro Seed	DG52vc63	112	224.0	107*	98.9	133.1	167.6	70.5	164.7	138.0
Augusta Seed	7162	112	220.2	**	69.3	135.9	151.3	62.5	177.5	136.1
Local Seed Company	LC1289 VT2P	112	219.6	134	105.7	127.8	178.3	58.7	179.8	143.4
Channel	210-79 VT2PRIB	110	172.1							
	Average		198.3	137.7	86.7	128.0	157.6	68.8	169.0	

*Planted at 50,000 seed / acre. All other hybrids in this plot planted at 30,000 seed / acre.

**Overall yield averages were reported for hybrids entered at all locations. Error at harvest resulted in the loss of yield data for one hybrid at one location. This hybrid was still included in the overall yield average.

Virginia Ag Expo Mid Maturity Corn Hybrid Comparison

Cooperators:
Producer: Bleak House Farm
Extension: Trent Jones VCE Northumberland & Lancaster
Industry: Ian Walker - Pioneer Seed,
 Ginny Barnes - Coastal AgroBusiness

Previous Crop: Double Crop Soybeans
Soil Type: Woodstown Fine Sandy Loam
Tillage: No-Till
Planting Date: April 9, 2020
Planting Equipment: Kinze 3660
Seeding Rate: 32,500 Seeds / Acre
Row Spacing: 30”
Fertilizer

Planting: **In Furrow** – 2 gal. 15-15-0, 10 oz. Advance LCO, 1 qt. Black Label
Sidedress: **May 1** – 18 gal. 15-15-0- + S, Zn, & B
May 1 – 150 lb. 24-0-0-3S + B & Zn, 2 qt. Black Label
Crop Protection: **Burndown:** **April** - .5 pt. Dicamba, 1.25 qt. Acuron, 1 pt. Atrazine, 60 oz. Roundup, 2 oz. Tombstone
Post **May 4** – 3.6 pt. Halex
Emergence: **July 3** – 13.7 oz. Trivapro, 4 oz. Sniper
Harvest Date: September 24, 2020
Harvest Equipment: Case 8250

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Check			16.5	168.80
Channel	210-79 VT2PRIB	110	15.3	172.10
Progeny Ag Products	2008	108	14.3	170.76
SeedKoz - MorCorn	MC4255	112	17.5	221.93
Check			15.7	163.83
Dekalb	DKC62-53RIB	112	15.7	196.63
Augusta Seed	7162	112	16.5	220.22
Hubner Seed	H09G056	109	15.5	186.94
Check			15.5	183.63
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM	110	16.1	193.29
LG Seed	LG 5590	110	15.4	187.16
DynaGro Seed	DG52VC63	112	17	224.04
Check			15.9	163.44
Syngenta NK Seed	1082-5222A	110	16.3	189.13
Local Seed Company	LC1289 VT2P	112	16.5	219.61

Virginia State University Mid Maturity Corn Hybrid Comparison

Cooperators:	Extension:	Ruddy Grammar & Mack West, VSU-Randolph Farm; Glenn F. Chappell, II, Virginia State University
Previous Crop:	Full Season Soybeans	
Soil Type:	Tetotum	
Tillage:	Rip – Strip Tillage	
Planting Date:	April 28, 2020	
Seeding Rate:	24,625 Seeds / Acre	
Row Spacing:	30”	
Fertilizer:	Preplant:	April 22 – 25-50-150 Granular (500 lb. 5-10-30)
	Sidedress:	June 10 - 175-0-0 30% UAN
Crop Protection:	Burndown:	April 17 - 1 qt. Graxomone SL April 29 - 2 qt. Bicept II Mag., 1 qt. Princep 4L
Harvest Date:	October 7, 2020	
Harvest Equipment:	John Deere 9560 STS	

Brand	Hybrid	Maturity (Days)	Moisture %	Yield (bu./A @15.5%)	% of Check
Dekalb - check	67-44RIB	117	18.2	136.8	-----
Hubner Seed	H09G056	109	17.2	133.7	114.2
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM	110	20.3	93.2	79.7
SeedKoz - MorCorn	MC4255	112	17.0	144.5	123.5
Dekalb	DKC62-53RIB	112	18.0	144.8	123.7
Progeny Ag Products	2008	108	16.3	115.8	98.9
LG Seeds	LG 5590	110	16.6	120.4	102.8
Syngenta NK Seed	1082-5222A	110	17.6	130.4	111.4
DynaGro Seed	DG52vc63	112	17.7	133.1	113.7
Augusta Seed	7162	112	17.7	135.9	116.1
Local Seed Company	LC1289 VT2P	112	15.8	127.8	109.2
Dekalb - check	67-44RIB	117	17.7	97.3	-----

Discussion: No irrigation was applied. Site specific rainfall data was not available for the Virginia State University location but information available via Weather Underground.com from the Richmond Airport showed the following rainfall totals by month: May – 3.6”, June – 4.99”, July - 2.44”, and August – 15.90”. A majority of the July rainfall (1.28”) was in one event over July 1 and 2 with the rest of the month mostly hot and dry. The “% of Check” is calculated by dividing an individual hybrid's yield by the average of the two closest check hybrids and multiplying by 100.

Middlesex County Mid Maturity Corn Hybrid Comparison

Cooperators:	Producer: Crazy Clover Farm – Wayne Burch
	Extension: Robbie Longest, Essex Frank Long, Middlesex
Previous Crop:	Soybeans
Soil Type:	Slagle silt loam, Bethera and Daleville
Tillage:	No-till
Planting Date:	April 23, 2020
Planting Equipment:	John Deere 7200, 12 Row Planter
Seeding Rate:	30,000 Seed / Acre
Row Spacing:	30"
Fertilizer:	Preplant: April 9: 15-50-100 April 17: 30% N (70 lbs./ac) Sidedress: June 5: 130 lbs. N/ac
Crop Protection:	Burndown: April 17: 1.5 qt. Vizor ATZ (atrazine + metolachlor) 0.33 qt. Havoc LV Six (2,4-D), 1.25 qt. Devour (paraquat) 0.25 qt. Voyager 80/20 Post May 28: Emergence: 1qt. Envy Six Max (glyphosate) 1.25 qt. Villain (metolachlor + mesotrione) 1.5 qt. Atra-V4L (atrazine) 1 oz. Vantage
Harvest Date:	September 16, 2020
Harvest Equipment:	Case IH 2588 with 6 Row Header

Discussion:

Many thanks to Crazy Clover Farm for their cooperation in this On-Farm Corn Hybrid Plot in Middlesex County. Stand counts were taken on June 1, and ranged from 25,300 to 30,000 plants/acre, with an average plot population of 28,000. Growing conditions were cool and wet for this plot during the early season and affected stand uniformity, and drier weather coupled with high heat was experienced during July and August, and was believed to decrease grain yield potential some. This field has historically received cattle manure, and overall plant vigor across hybrids was excellent, and this could be supported at this location with an excellent silage harvest adjacent to the test plot. Test weights ranged from 52.0 – 56.5 lb./bu., and averaged 54.1 lb./bu. Lower test weights and some grain sprouting was observed. This was most likely a result of frequent rainfall during the harvest period, after grain had begun to dry down. Use these results and results from other replicated yield data when considering hybrid choice for 2021.

Middlesex County Mid Maturity Corn Hybrid Comparison

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Check: Pioneer Brand DBA / CORTEVA Agriscience	0843AM	108	19.8	140.5
Hubner Seed	H09G056	109	22.4	152.0
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM	110	21.2	164.8
SeedKoz – MorCorn	MC4255	112	22.0	168.6
Dekalb	DKC62-53RIB	112	20.7	161.9
Progeny Ag Products	2008	108	19.6	156.5
Check: Pioneer Brand DBA / CORTEVA Agriscience	0843AM	108	19.6	150.6
LG Seeds	LG5590	110	20.7	190.1
Syngenta NK Seed	1082-5222A	110	22.5	174.1
DynaGro Seed	DG52vc63	112	21.9	164.7
Augusta Seed	7162	112	21.6	177.5
Local Seed Company	LC1289 VT2P	112	21.6	179.8
Check: Pioneer Brand DBA / CORTEVA Agriscience	0843AM	108	21.2	181.6
AVERAGE			21.1	166.4
AVERAGE CHECK			20.2	157.6

Westmoreland County Mid Maturity Corn Hybrid Comparison

Cooperators:	Producer: F.F. Chandler, Jr. and Louis Chandler
	Extension: Stephanie Romelczyk, ANR – Westmoreland Trent Jones, ANR – Northumberland/Lancaster Robbie Longest, ANR - Essex Skylar Swann, VCE Intern
Previous Crop:	Soybeans
Soil Type:	Savannah loam and Kempsville loam
Tillage:	No-till
Planting Date:	April 22, 2020
Planting Equipment:	Case IH 950 Cyclo Planter
Seeding Rate:	30,000 (see note in discussion)
Row Spacing:	30"
Fertilizer:	Preplant: 40-25-70-5S broadcast
	Planting: 40-20-0 w/ S, B, and Zn
	Sidedress: 120-0-0-15S
Crop Protection:	Preplant: 1.5 qt. Acuron, 1.5 qt. Princep
	Post 3.6 pt. Halex, 1 qt. Atrazine, ½ gal. Black Label Zn,
	Emergence: 2 oz. Radiate
Harvest Date:	October 15, 2020
Harvest Equipment:	John Deere 9400

Discussion: Yields were good considering the year. The first four varieties were accidentally planted at a population of 50,000. There was enough seed to replant three of the four varieties at the farmer's standard population of 30,000. Seed and ear quality improved as harvest continued across the field. A weigh wagon error caused the weight of Augusta 7162 to not be taken.

Total rainfall between planting date and harvest date was over 25.46 inches. Due to COVID-19 and Extension office closures, some weather data was not recorded. This has been demarcated by a +/- (April: rainfall not recorded, May: 0.91 in +/-, June: 3.26 in +/-, July: 1.21 in +/-, August: 11.13 in, September: 6.64 in, October: 2.31 in).

Westmoreland County Mid Maturity Corn Hybrid Comparison

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Dekalb	DKC62-53RIB*	112	23.3	57
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM*	110	20.8	119
DynaGro	DG52vc63*	112	22.3	107
Hubner Seed	H09G056*	109	24.7	105
Dekalb	DKC62-53RIB	112	21.0	100
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM	110	18.5	157
Hubner Seed	H09G056	109	18.7	141
Local Seed Company	LC1289 VT2P	112	18.9	134
Syngenta NK Seed	1082-5222A	110	18.7	133
Augusta Seed	7162	112	18.7	-
Progeny Ag Products	2008	108	16.4	156
LG Seeds	5590	110	17.4	154
SeedKoz - MorCorn	MC4255	112	18.7	157

*Hybrid planted at higher seeding rate. See discussion above for detailed explanation.

Brunswick County Mid Maturity Corn Hybrid Comparison

Cooperators: **Producer:** Ryan Parrish
Extension: Lindy Fimon, Lunenburg & Taylor Clarke, Mecklenburg

Previous Crop:	Soybeans
Soil Type:	Appling-Mattaponi Complex
Tillage:	No-Till
Planting Date:	April 17, 2020
Planting Equipment:	Kinze 8 Row Planter
Seeding Rate:	28,000 Seed / Acre
Row Spacing:	30”
Fertilizer:	Preplant: 60-50-100-15S, Titan and Wolf Trax Micro
	Sidedress: 375 lb. 40-0-0-7S
Crop Protection:	Burndown: 1 qt. Roundup, 2 qt. Bicep, 1 qt. Atrazine, 1 gal. Extract
	Post 2.5 oz. Laudis, 1qt. Roundup, 3 qt. Black Label Z
	Emergence:
Harvest Date:	October 9, 2020
Harvest Equipment:	John Deere S660 with 8 Row Head

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
CHECK	DK C70-27RIB	120	18.0	99.0
Hubner Seed	H09G056	109	16.2	95.3
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM	110	17.0	67.4
SeedKoz - MorCorn	MC4255	112	18.1	92.2
Dekalb	DKC62-53RIB	112	17.0	74.1
Progeny Ag Products	Y2008	108	17.1	64.9
CHECK	DK C70-27RIB	120	17.2	60.7
LG Seeds	LG 5590	110	17.8	57.5
Syngenta NK Seeds	1082-5222A	110	18.2	45.1
DynaGro Seed	DG52vc63	112	18.0	70.5
Augusta Seed	7162	112	16.7	62.5
Local Seed Company	LC1289 VT2P	112	17.8	58.7
CHECK	DK C70-27RIB	120	17.6	30.9

Discussion: Dry period severely impacted the performance of this plot. Field is normally in a tobacco/small grain-soybean double crop rotation but was not needed for tobacco this year, therefore extremely challenging yield environment. Only second season since tillage.

Southampton County Mid Maturity Corn Hybrid Comparison

Cooperators: **Producer:** D&J Farms, Dennis & Denton Spruill
Extension: Joshua Holland, Southampton

Previous Crop: Soybeans
Soil Type: Slagle, Fine Sandy Loam
Tillage: Strip-Till
Planting Date: May 8, 2020
Planting Equipment: KMC 8-Row Strip-Till Rig, John Deere 7730 Max Emerge Planter
Seeding Rate: 28,000 Seed / Acre
Row Spacing: 36”
Fertilizer: **Preplant:** 340 lb. 13-0-22
 Planting: 12 gal. 17-17-0 2x2 band
 Sidedress: 120 Units 30-0-0
Crop Protection: **Burndown:** 32 oz. Roundup, 1 qt. 2,4-D, 2 oz. Valor
 Post Emergence: 3.6 qt. Halex GT, 2 qt. Atrazine
Harvest Date: September 28, 2020
Harvest Equipment: John Deere 9760 Grain Combine

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Hubner Seed	H09G056	109	18.8	154.4
Pioneer Brand DBA / CORTEVA Agriscience	P1077AM	110	19.1	162.7
SeedKoz - MorCorn	MC4255	112	19.2	140.8
Dekalb	DKC62-53RIB	112	18.6	152.5
Progeny Ag Products	2008	108	19.1	179.9
LG Seeds	LG 5590	110	19.5	162.0
Syngenta NK Seed	1082-5222A	110	18.7	126.6
DynaGro Seed	DG52VC63	112	18.4	167.6
Augusta Seed	7162	112	19.0	151.3
Local Seed Company	LC1289 VT2P	112	20.1	178.3

Discussion: Conditions in the field were favorable at planting and shortly thereafter. Planting was delayed into May due to cool/wet soil conditions and likely had an impact on top-end yield potential. July brought extremely hot/dry weather that had a significant effect on plant health and grain-fill. Given these conditions, yields remained favorable across all varieties.

City of Chesapeake/Virginia Beach Mid Maturity Corn Hybrid Comparison

Cooperators:	Producer: Frank Brickhouse
	Extension: Watson Lawrence, Chesapeake Roy Flanagan, Virginia Beech
Previous Crop:	Soybeans
Soil Type:	Acredale Silt Loam
Tillage:	Ridge Type Conventional Tillage
Planting Date:	May 15, 2020
Planting Equipment:	7300 JD Maxi Merge Vacuum Planter
Seeding Rate:	32,000 Seeds / Acre
Row Spacing:	30"
Fertilizer:	Preplant: 600 lbs. 15-8-15, 13.5 lbs. S
	Side-dress: 30 Gal. 32% (110 lbs. N), 4.8 oz. Excelis Max
Crop Protection:	Burndown: 1 qt. Roundup, ½ qt. 2, 4-D, 1 pt. / 100 gal. Kingpin Surfactant
	Post 16 oz. Roundup, 1 qt. Atrazine, 3 oz Laudis,
	Emergence: 1 pt./100 gal. Kingpin Surfactant
Harvest Date:	October 23, 2020
Harvest Equipment:	John Deere 9860

Discussion: This conventional tilled plot experienced a dry spell in early June that caused very spotty performance among varieties. Varieties reacted very differently under these adverse weather conditions.

City of Chesapeake/Virginia Beach Mid Maturity Corn Hybrid Comparison

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Progeny Ag Products	PGY 2008 VT2P	108	17.4	81.8
Check	DKC-65-20	115	17.4	88.2
Local Seed Company	LG5590ZT2 RIB	110	16.9	78.4
Dekalb	DKC 62-53 RIB	112	17.1	92.7
Check	DKC 65-20	115	18.1	66.3
Augusta Seed	7162 VT2PRO RIB	112	17.1	69.3
Hubner Seed	H09G056	109	16.6	89.7
Check	DKC 65-20	115	18.0	48.9
Syngenta NK Seed	NK1082-5222A	110	16.7	71.4
DynaGro Seed	D52VC63	112	16.7	98.9
Check	DKC 65-20	115	17.6	63.9
Local Seed Company	LC1289 VT2P	112	17.0	105.7
Pioneer Brand DBA / CORTEVA Agriscience	P1077 AM	110	16.6	48.3
Check	DKC 65-20	115	17.3	55.7
Dekalb	DKC 65-99	115	16.9	110.1
SeedKoz - MorCorn	MC 4255 VT2P	112	16.7	130.3

Full Maturity Hybrid Entries

113 Day RM or More

Brand	Hybrid Entry	Relative Maturity	Seed Treatment	Genetic Traits
Hubner Seed	H4763RC2P	115	Poncho 500	YGCB
Pioneer Brand DBA / Corteva Agriscience	P1870AM	118	Poncho 1250 + Votivo	AM
SeedKoz - MorCorn	MC4725	117	Poncho 500	VT2P
Dekalb	DKC67-44RIB	117	Acceleron 500	GENVT2PRIB
Progeny Ag Products	2012	113	1250	VT2P
Channel	215-60 TRERIB	115	P250	TRECEPTA
LG Seeds	LG 66C32	116	500	VT2RIB
Syngenta NK Seed	1573-5222	115	Avicta Complete 500 + Vibrance	RR, CB, RW
DynaGro Seed	DG58vc65	118	Poncho + Votivo	Double Pro
Augusta Seed	4467	117	C1250	3220GT
Local Seed Company	LC1577 V2P	115	Radius 500	VT2P

Summary of Full Maturity Hybrid Comparisons

113 Day RM or More

Company	Hybrid	Maturity	Virginia Ag Expo	Prince George	Culpeper	Virginia State University	Mecklenburg 1	Mecklenburg 2	Southampton	Dinwiddie	Essex	Average
Hubner Seed	H4763RC2P	115	234.3	183.9	219.0	156.0	147.5	27.7	166.4	107.8	171.7	157.1
Pioneer Brand DBA / CORTEVA Agriscience	P1870AM	118	188.7	177.4	210.1	101.4	122.7	14.8	148.7	82.5	177.0	135.9
SeedKoz - MorCorn	MC4725	117	188.9	191.6	203.0	137.2	137.7	28.0	157.0	89.6	178.7	145.7
Dekalb	DKC67-44RIB	117	228.0	194.1	207.0	120.7	135.2	48.7	159.8	93.0	180.1	151.8
Progeny Ag Products	2012	113	218.3	182.4	218.1	143.0	121.1	51.0	164.4	86.3	167.9	150.3
LG Seeds	LG 66C32	116	186.5	185.7	223.7	130.3	137.1	40.8	169.3	86.8	173.0	148.1
Syngenta NK Seed	1573-5222	115	168.4	172.5	197.5	104.0	115.6	24.0	162.9	76.8	146.5	129.8
DynaGro Seed	DG58vc65	118	217.4	188.1	198.8	120.1	135.1	42.0	177.7	83.6	164.9	147.5
Augusta Seed	4467	117	188.2	160.0	222.8	94.5	113.4	16.3	168.2	76.7	170.5	134.5
Local Seed Company	LC1577 V2P	115	190.3	180.8	196.8	124.1	128.4	62.7	171.9	89.9	197.0	149.1
Channel	215-60 TRERIB	115	193.5									
	Average	Average	200.2	181.7	209.7	123.1	129.4	35.6	164.6	87.3	172.7	

*Overall yield averages were reported for hybrids entered at all locations.

Virginia Ag Expo Full Maturity Corn Hybrid Comparison

Cooperators:	Producer: Bleak House Farm
	Extension: Trent Jones, VCE Northumberland & Lancaster
	Industry: Ian Walker - Pioneer Seed, Ginny Barnes - Coastal AgroBusiness
Previous Crop:	Double Crop Soybeans
Soil Type:	Woodstown Fine Sandy Loam
Tillage:	No-Till
Planting Date:	April 9, 2020
Planting Equipment:	Kinze 3660
Seeding Rate:	32,500 Seeds / Acre
Row Spacing:	30”
Fertilizer	Planting: In Furrow – 2 gal. 15-15-0, 10 oz. Advance LCO, 1 qt. Black Label 2x2 – 18 gal. 15-15-0- + S, Zn, & B
	Sidedress: May 1 – 150 lb. 24-0-0-3S + B & Zn, 2 qt. Black Label
Crop Protection:	Burndown: April - .5 pt. Dicamba, 1.25 qt. Acuron, 1 pt. Atrazine, 60 oz. Roundup, 2 oz. Tombstone
	Post Emergence: May 4 – 3.6 pt. Halex July 3 – 13.7 oz. Trivapro, 4 oz. Sniper
Harvest Date:	September 24, 2020
Harvest Equipment:	Case 8250

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Check			16.8	170.20
Hubner Seed	H4763RC2P	115	16.7	234.30
Progeny Ag Products	2012	113	17.9	218.33
Check			16.9	149.82
Pioneer Brand DBA / CORTEVA Agriscience	P1870AM	118	19.8	188.70
Dekalb	DKC67-44RIB	117	17.7	228.02
Channel	215-60 TRERIB	115	18.5	193.42
Check			16.9	179.34
Local Seed Company	LC1577 V2P	115	17.3	190.32
DynaGro Seed	DG58VC65	118	17	217.39
Syngenta NK Seed	1573-5222	115	18	168.44
Check			16.7	170.26
SeedKoz - MorCorn	MC4725	117	17.5	188.90
Augusta Seed	4467	117	17.8	188.22
LG Seed	LG 66C32	116	18.2	186.46

Virginia State University Full Maturity Corn Hybrid Comparison

Cooperators:	Extension:	Ruddy Grammar & Mack West, VSU-Randolph Farm; Glenn F. Chappell, II, Virginia State University
Previous Crop:	Full Season Soybeans	
Soil Type:	Tetotum	
Tillage:	Rip – Strip Tillage	
Planting Date:	April 28, 2020	
Seeding Rate:	24,625 Seeds / Acre	
Row Spacing:	30”	
Fertilizer:	Preplant:	April 22 – 25-50-150 Granular (500 lb. 5-10-30)
	Sidedress:	June 10 - 175-0-0 30% UAN
Crop Protection:	Burndown:	April 17 - 1 qt. Graxomone SL April 29 - 2 qt. Bicept II Mag., 1 qt. Princep 4L
Harvest Date:	October 7, 2020	
Harvest Equipment:	John Deere 9560 STS	

Brand	Hybrid	Maturity (Days)	Moisture %	Yield (bu./A @15.5%)	% of Check
Dekalb - check	67-44RIB	117	17.7	97.3	-----
Hubner Seed - Bayer	H4763RC2P	115	16.8	156.0	149.6
Pioneer Brand DBA - CORTEVA Agriscience	P1870AM	118	20.1	101.4	97.2
SeedKoz - MorCorn	MC4725	117	19.1	137.2	131.6
Progeny Ag Products	2012	113	16.1	143.0	137.1
LG Seeds	LG 66C32	116	18.3	130.3	124.9
Syngenta NK Seed	1573-5222	115	18.7	104.0	99.7
DynaGro Seed	DG58vc65	118	17.9	120.1	115.2
Augusta Seed	4467	117	18.9	94.5	90.6
Local Seed Company	LC1577 V2P	115	18.5	124.1	119.0
Dekalb - check	67-44RIB	117	18.9	111.3	-----

Discussion: No irrigation was applied. Site specific rainfall data was not available for the Virginia State University location but information available via Weather Underground.com from the Richmond Airport showed the following rainfall totals by month: May – 3.6”, June – 4.99”, July - 2.44”, and August – 15.90”. A majority of the July rainfall (1.28”) was in one event over July 1 and 2 with the rest of the month mostly hot and dry. The “% of Check” is calculated by dividing an individual hybrid's yield by the average of the two closest check hybrids and multiplying by 100.

Culpeper County Full Maturity Corn Hybrid Comparison

Cooperators: **Producer:** Beauregard Farm, Jamie Shenk
Extension: Carl Stafford, Culpeper

Previous Crop: Corn – 3rd Year
Soil Type: Rapidan
Tillage: No-Till
Planting Date: May 15, 2020
Planting Equipment: John Deere 1775 12 row
Seeding Rate: 34,000 Seed / Acre
Row Spacing: 30”
Fertilizer **Planting:** 50 lb. N
 Sidedress: 150 lb. N, ½ lb. Zn.
Crop Protection: **Burndown:** Gramoxone
 Post Emergence: 2 qt. Atrazine, 3 oz. Explore, 1.5 qt Glyphosate,
 12 oz. Headline Amp
Harvest Date: October 7, 2020
Harvest Equipment: John Deere 9870 STS

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Check - Channel	214-00DGVT2PRIB	114	26.3	190.9
Augusta	4467	117	26.3	222.8
Syngenta NK Seed	1573-5222	115	25.4	197.5
SeedKoz - MorCorn	MC4725	117	25.4	203.0
Pioneer Brand DBA / CORTEVA Agriscience	P1870AM	118	25.7	210.1
LG Seeds	LG 66C32	116	25.2	223.7
Progeny Ag Products	2012	113	22.0	218.1
Check - Channel	214-00DGVT2PRIB	114	22.5	177.5
Dekalb	DKC67-44RIB	117	23.2	207.0
DynaGro Seed	DG58vc65	118	23.6	198.8
Hubner Seed	H4763RC2P	115	24.4	219.0
Local Seed Company	LC1577 V2P	115	23.9	196.8
Check - Channel	214-00DGVT2PRIB	114	24.7	164.5

Southampton County Full Maturity Corn Hybrid Comparison

Cooperators: **Producer:** D&J Farms, Dennis & Denton Spruill
Extension: Joshua Holland, Southampton

Previous Crop: Soybeans
Soil Type: Slagle, Fine Sandy Loam
Tillage: Strip-Till
Planting Date: May 8, 2020
Planting Equipment: KMC 8-Row Strip-Till Rig, John Deere 7300 MaxEmerge Planter
Seeding Rate: 28,000 Seed / Acre
Row Spacing: 36”
Fertilizer: **Preplant:** 340 lbs. 13-0-22
 Planting: 12 gal. 17-17-0 2x2 band
 Sidedress: 120 units 30-0-0

Crop Protection: **Burndown:** 32 oz. Roundup, 1 qt. 2,4-D, 2 oz. Valor
 Post Emergence: 3.6 qt. Halex GT, 2 qt. Atrazine

Harvest Date: September 28, 2020
Harvest Equipment: John Deere 9760 Grain Combine

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Hubner Seed	H4763RC2P	115	20.1	166.4
Pioneer Brand DBA / CORTEVA Agriscience	P1870AM	118	20.6	148.7
SeedKoz - MorCorn	MC4725	117	20.1	157.0
Dekalb	DKC67-44RIB	117	21.2	159.8
Progeny Ag Products	2012	113	21.0	164.4
LG Seeds	LG 66C32	116	21.3	169.3
Syngenta NK Seed	1573-5222	115	21.2	162.9
DynaGro Seed	DG58VC65	118	20.7	177.7
Augusta Seed	4467	117	20.3	168.2
Local Seed Company	LC1577 VT2P	115	20.1	171.9

Discussion: Conditions in the field were favorable at planting and shortly thereafter. Planting was delayed into May due to cool/wet soil conditions and likely had an impact on top-end yield potential. July brought extremely hot/dry weather that had a significant effect on plant health and grain-fill. Given these conditions, yields remained favorable across all varieties.

Essex County Full Maturity Corn Hybrid Comparison

Cooperators:	Producer: Brandon Farms
	Extension: Robbie Longest, VCE-Essex
	Industry: Participating seed companies
Previous Crop:	Soybeans
Soil Type:	Pamunkey loam 70%, Augusta 20%, Tetotum loam 10%
Tillage:	No-till
Planting Date:	April 22, 2020
Planting Equipment:	John Deere 8300 tractor and John Deere 1780 6 row planter
Seeding Rate:	29,500 Seed / Acre
Row Spacing:	30"
Fertilizer:	Preplant: 39-46-60
	Planting: 15-0-0
	Sidedress: Sidedress 1: 46-0-0 Sidedress 2: 75-0-0
Crop Protection:	Burndown: 1 qt. Roundup 6 Max, 1 qt. /100 gal. Traverse D, 1 qt. Atrazine, 1 qt. Princep 4L
	Planting: Ethos 6 oz (In-furrow)
	Post Emergence: 1 qt. Roundup 6 max, 1 qt. / 100 gal. Traverse D, 1.25 qt. Villain, 8 oz. Diablo 1 qt. Atrazine
Harvest Date:	October 7, 2020
Harvest Equipment:	John Deere S670 with 6 Row Header

Discussion: Many thanks to Brandon Farms for their cooperation in this On-Farm Corn Hybrid Plot in Essex County. Stand counts (taken May 21) ranged from 28,333 to 31,000, with a plot average population of 29,400 plants/ac. There was a late freeze (May 10th) that impacted this plot, but regrowth occurred. However, the crops development was pushed back several weeks. Total rainfall from planting to harvest was 38.38 inches (April: 2.92, May: 1.92, June: 4.52, July: 5.06, August: 15.75, September: 8.18, October: 0.03). This plot experienced a hot and dry spell during peak pollination and the days following in July and early August. The daytime high temperature was over 90°F every day in July with the exception of July 1 and 31, and there were 9 days in which the daytime high temperature exceeded 100°F. Nighttime temperatures were above 70°F many nights in the month of July at this location. Despite the heat and moisture stress during this period, yields in this plot were very good. Test weights ranged between 57.7 and 61.7 lb/bu, averaging 60.1 lb/bu. Use these results and results from other replicated yield data when considering hybrid choice for 2021.

*This plot did have some nematode pressure, and nematode assay samples collected in-season (June 8) and at harvest (Oct. 20) found numbers of juvenile root knot, lesion, and stubby root nematode at high enough levels to cause yield loss. The attached yield map (Pg. 30) shows the diagonal section that spanned across all of the hybrid plots.

Essex County Full Maturity Corn Hybrid Comparison

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Check: Axis Seed	64B28RIB	114	17.0	185.6
Local Seed Company	LC1577 V2P	115	16.7	197.0
Augusta Seed	4467	117	19.4	170.5
DynaGro Seed	DG58vc65	118	18.0	164.9
Syngenta NK Seed	1573-5222	115	17.7	146.5
LG Seeds	LG66C32	116	18.0	173.0
Check: Axis Seed	64B28RIB	114	17.3	176.3
Progeny Ag Products	2012	113	17.8	167.9
Dekalb	DKC67-44RIB	117	17.5	180.1
SeedKoz-MorCorn	MC4725	117	18.5	178.7
Pioneer Brand DBA / CORTEVA Agriscience	P1870AM	118	18.9	177.0
Hubner Seed - Bayer	H4763RC2P	115	18.3	171.7
Check: Axis Seed	64B28RIB	114	17.2	190.1
AVERAGE			17.9	175.3
AVERAGE CHECK			17.2	184.0

Essex County Full Maturity Corn Hybrid Comparison




Figure 1: *Climate Fieldview* yield map of the Essex Full Maturity On-Farm Corn Hybrid Plot. Please note the diagonal area across the plots from top right to bottom left is where nematode populations were found in sampled soil at levels high enough to impact growth and development of the crop in these areas of the field.

Brunswick County Full Maturity Corn Hybrid Comparison

Cooperators:
Producer: Ryan Parrish
Extension: Lindy Fimon, Lunenburg,
 Taylor Clarke, Mecklenburg

Previous Crop: Soybeans
Soil Type: Appling-Mattaponi Complex
Tillage: No-Till
Planting Date: April 17, 2020
Planting Equipment: Kinze 8 Row
Seeding Rate: 28,000 Seed / Acre
Row Spacing: 30”
Fertilizer: **Preplant:** 60-50-100-15S, Titan and Wolf Trac Mirco
Sidedress: 375 lbs. 40-0-0-7S
Crop Protection: **Burndown:** 1qt. Roundup, 2qts. Bicep, 1 qt. Atrazine,
 1gal. Extract
Post Emergence: 2.5oz Laudis, 1qt Roundup, 3qt Black Label Z
Harvest Date: October 9, 2020
Harvest Equipment: John Deere S660 with 8 row head

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
CHECK	DK C70-27RIB	120	17.6	30.9
Hubner Seed - Bayer	H4763RC2P	115	20.5	27.7
Pioneer Brand DBA/ Corteva Agriscience	P1870AM	118	25.1	14.8
SeedKoz - MorCorn	MC4725	117	21.0	28.0
Dekalb	DKC67-44RIB	117	20.3	48.6
Progeny Ag Products	Y2012	113	17.8	51.0
CHECK	DK C70-27RIB	120	17.8	39.4
LG Seeds	LG 66C32	116	17.7	40.8
Syngenta NK Seeds	1573-5222	115	18.4	24.0
DynaGro Seed	DG58vc65	118	17.0	42.0
Augusta Seed	4467	117	17.4	16.3
Local Seed Company	LC1577 V2P	115	17.4	62.7
CHECK	DK C70-27RIB	120	18.2	64.6

Discussion: Dry period severely impacted the performance of this plot. Field is normally in a tobacco/small grain-soybean double crop rotation but was not needed for tobacco this year, therefore extremely challenging yield environment. Only second season since tillage.

Lunenburg/Mecklenburg County Full Maturity Corn Hybrid Comparison

Cooperators: **Producer:** Horseshoe Farm-Mark and Lindsay Warren
Extension: Lindy Fimon, Lunenburg, &
 Taylor Clarke, Mecklenburg

Previous Crop: Soybeans
Soil Type: Appling Sandy Loam
Tillage: No-Till
Planting Date: April 23, 2020
Planting Equipment: JD 1870 6 Row
Seeding Rate: 28,000 Seed / Acre
Row Spacing: 30”
Fertilizer: **Preplant:** 2 tons Chicken Litter, 50 Units N at Burndown
 Sidedress: 300 lbs. 21-0-0 24S
Crop Protection: **Burndown:** Roundup and Bicep
 Post Emergence: None
Harvest Date: October 21, 2020
Harvest Equipment: John Deere S660 Six Row Head

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Dekalb	DK70-27	120	18.2	143.4
Axis	65T29	115	17.4	142.8
Hubner Seed - Bayer	H4763RC2P	115	17.3	147.5
Pioneer Brand DBA/ Corteva Agriscience	P1870AM	118	18.2	122.7
SeedKoz - MorCorn	MC4725	117	17.4	137.7
Dekalb	DKC67-44RIB	117	17.4	135.2
Progeny Ag Products	Y2012	113	17.0	121.1
Axis	65T29	115	16.8	116.9
LG Seeds	LG 66C32	116	16.7	137.1
Syngenta NK Seeds	1573-5222	115	17.5	115.6
DynaGro Seed	DG58vc65	118	17.1	135.1
Augusta Seed	4467	117	18.0	113.4
Local Seed Company	LC1577 V2P	115	17.2	128.4
Axis	65T29	115	16.6	111.4
Dekalb	DK70-27	120	17.6	114.3

Prince George County Full Maturity Corn Hybrid Comparison

Cooperators:
Producer: Calvin W. Clements
Extension: Scott Reiter, Prince George

Previous Crop: Wheat-Double Crop Soybeans
Soil Type: Slagle Sandy Loam
Tillage: In-row Subsoil Strip Till
Planting Date: April 22, 2020
Planting Equipment: Unverferth Strip-Till with John Deere MaxEmerge Plus Units
Seeding Rate: 26,000 Seed / Acre
Row Spacing: 30"
Fertilizer: **Preplant:** 20-40-120-17Ca-18S - broadcast
Planting: 25-25-0-3S-0.75Zn-0.5B - starter
65-0-0 – UAN with herbicide
Sidedress: 76-0-0-10S-0.3B + Excelis Maxx

Crop Protection: **Burndown:** None
Planting: 1.5 pts Helmquat, 2 qts. TrizMet
Post Emergence: None

Harvest Date: September 28, 2020
Harvest Equipment: John Deere S660 and weigh wagon

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
CHECK	NK 1444-3111	114	20.6	171.2
Hubner Seed	H4763RC2P	115	19.4	183.9
Pioneer Brand DBA / CORTEVA Agriscience	P1870AM	118	21.0	177.4
SeedKoz - MorCorn	MC4725	117	20.7	191.6
Dekalb	DKC67-44	117	19.5	194.1
Progeny Ag Products	2012	113	19.3	182.4
LG Seeds	LG 66C32	116	20.2	185.7
Syngenta NK Seeds	NK1573-5222	115	21.7	172.5
DynaGro Seed	DG58VC65RIB	117	20.3	188.1
Augusta Seed	4467	117	22.6	160.0
Local Seed Company	LC1577 VT2P	115	19.8	180.8
Axis	65H25 RIB	115	20.2	179.8
CHECK	NK 1444-3111	114	20.0	176.8
	AVERAGE		20.5	181.7

Discussion: This was an excellent yielding plot for the area. Timely rains around July 4 carried this field before the hot and dry three weeks in late July. August rainfall was plentiful. No hybrids displayed any particular weaknesses to note at harvest.

Dinwiddie County Full Maturity Corn Hybrid Comparison

Cooperators: **Producer:** Double B Farms
Extension: Mike Parrish, Dinwiddie

Previous Crop: Soybeans
Soil Type: Mattaponi Sandy Loam
Tillage: No-Till
Planting Date: May 12, 2020
Planting Equipment: Case IH MX305 tractor w/Case IH 1250 16row
Seeding Rate: 28,000 Seed / Acre
Row Spacing: 30”
Fertilizer: **Preplant:** 500 lbs. 5-10-30
 Planting: 15 gals. Starter Fertilizer, 1 qt. Boron, 1 qt. Zinc
 Sidedress: Split application of 25 gal. 24-0-0-s,
 1 qt. boron in first application
Crop Protection: **Burndown:** 1 qt. Roundup, 1 qt. Atrazine, 1qt. Dual,
 24 oz. Barrage (2,4-D)
 Post Emergence: Label rate of Halex, 1qt. Atrazine

Harvest Date: October 2, 2020
Harvest Equipment: Case IH 2588, 8 row Case IH 3408 Header

Brand	Hybrid	Maturity (Days)	% Moisture	Yield (bu./A @15.5%)
Hubner Seed	H4763RC2P	115	20.2	107.8
Pioneer Brand DBA/ CORTEVA Agriscience	P1870AM	118	19.3	82.5
SeedKoz - MorCorn	MC4725	117	20.7	89.6
Dekalb	DKC67-44RIB	117	21.7	93.0
Progeny Ag Products	2012	113	20.4	86.3
Local Seed Company	LC1577V2P	115	22.8	89.9
LG Seeds	LG 66C32	116	21.5	86.8
Syngenta NK Seed	1573-5222	115	20.1	76.8
DynaGro Seed	DG58vc65	117	22.9	83.6
Augusta Seed	4467	117	23.2	76.7
Check	6744DK		19.5	86.0

Westmoreland County Evaluation of Corn Following Legume Cover Crops

Cooperators:
Producer: Keith Balderson
Extension: Robbie Longest, ANR-Essex
 Stephanie Romelczyk, ANR- Westmoreland
SWCD: Danny Withers, Three Rivers SWCD

Previous Crop: Full-season Soybeans followed by Austrian Winter Pea or Hairy Vetch Cover Crop
Soil Type: Suffolk Sandy Loam
Tillage: Continuous No-tillage
Planting Date: April 17, 2020
Planting Equipment: John Deere 7000 Max Emerge No-Till Planter
Seeding Rate: 26,000 Seed / Acre
Row Spacing: 36"
Fertilizer: **Preplant:** 60-78-75-7.5S
Planting: None
Sidedress: 60 lbs. N, 7.5 lbs. S

Crop Protection: **Burndown:** Helmquat, Sharpen, Atrazine, and Simazine
Planting: Avipel hopper box treatment
Post Emergence: Halex GT and Atrazine

Harvest Date: October 15, 2020
Harvest Equipment: John Deere 7720 with 444 Header

Treatment	% Moisture	Yield (bu./A @15.5%)
Hairy Vetch (1)	19.4	145
Austrian Winter Pea (1)	19.7	136
Austrian Winter Pea (2)	19.6	136
Hairy Vetch (2)	19.2	139
Hairy Vetch (3)	19.9	133
Austrian Winter Pea (3)	20.0	137
Hairy Vetch Ave.	19.5	139
Austrian Winter Pea Ave.	19.8	136.3

Westmoreland County Evaluation of Corn Following Legume Cover Crops

Discussion: The purpose of this plot was to evaluate corn grain performance following Austrian winter pea and hairy vetch cover crops. The cover crops were planted on October 15th. The cover crops were fertilized with 78 pounds of phosphate and 75 pounds of potash per acre in late March. Cover crop growth was very good. The Austrian winter pea appeared to suffer some disease pressure in the spring, but the severity was not enough to cause a significant reduction in bio-mass. Bio-mass samples were taken on April 10th and calculated to be 6,534 pounds per acre for the hairy vetch and 5,990 pounds per acre for the Austrian winter pea. Plant available nitrogen (PAN) was estimated at 98 pounds per acre from the hairy vetch and 90 pounds per acre from the Austrian winter pea. Corn was planted on April 17th into green cover crops (see picture below) and fertilized with 60 pounds of nitrogen and 7.5 pounds of sulfur broadcast as an herbicide carrier and a sidedress application with the same analysis was applied in late May. The plot received about 2 inches of rain on June 25th and looked very good. The plot received virtually no rain for the next 26 days coupled with many days of temperatures above 90 degrees. Given the hot and dry period during and following pollination, corn yields were respectable, and there was no statistical difference in yields between the two treatments.



Figure 2. Corn planted green into hairy vetch and Austrian winter pea cover crops, Westmoreland County, Va., April 17, 2020